



FIG. 1



65T604460

FIG. 2



APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

3 / 26

FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10

opcode	OPEN_DESCRIPTOR
operand 0	descriptor_type = 10 ₁₆
operand 1	List ID : 00 ₁₆
operand 2	List ID : 01 ₁₆
operand 3	subfunction WRITE_OPEN 03 ₁₆
operand 4	reserved 00 ₁₆

FIG. 11

	msb							lsb
opcode	READ_DESCRIPTOR (09 ₁₆)							
operand 0	descriptor identifier							
operand 1	:							
:	:							
:	read_result_status							
:	reserved : 00 ₁₆							
:	data_length							
:	address							

Year	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966	1967	1968	1969	1970	1971	1972	1973	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036	2037	2038	2039	2040	2041	2042	2043	2044	2045	2046	2047	2048	2049	2050	2051	2052	2053	2054	2055	2056	2057	2058	2059	2060	2061	2062	2063	2064	2065	2066	2067	2068	2069	2070	2071	2072	2073	2074	2075	2076	2077	2078	2079	2080	2081	2082	2083	2084	2085	2086	2087	2088	2089	2090	2091	2092	2093	2094	2095	2096	2097	2098	2099	2100
1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966	1967	1968	1969	1970	1971	1972	1973	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036	2037	2038	2039	2040	2041	2042	2043	2044	2045	2046	2047	2048	2049	2050	2051	2052	2053	2054	2055	2056	2057	2058	2059	2060	2061	2062	2063	2064	2065	2066	2067	2068	2069	2070	2071	2072	2073	2074	2075	2076	2077	2078	2079	2080	2081	2082	2083	2084	2085	2086	2087	2088	2089	2090	2091	2092	2093	2094	2095	2096	2097	2098	2099	2100	

FIG. 12

	msb						lsb
opcode	CREATE DESCRIPTOR (00 ₁₆)						
operand 0	result						
operand 1	subfunction_1						
operand 2	reserved						
operand 3	subfunction_1_specification						
:							
:							

FIG. 13

VALUE OF subfunction_1	meaning
00 ₁₆	create a new descriptor
01 ₁₆	create a new object and its child list
all other values	reserved for future specification

FIG. 15

descriptor_type of descriptor_identifier_ where	descriptor_type of descriptor_identifier_ what_1	descriptor_type of descriptor_identifier_ what_2	meaning
20 ¹⁶	22 ¹⁶	11 ¹⁶	Create an object and its child list. create the new object and place it in the location specified by where, the entry_type is specified by what_1. Also create the new list as the child of the new object. The list type is specified by what_2.
all other values			reserved for future specification


FIG. 16

opcode	WRITE DESCRIPTOR (0A ₁₆)
operand 0	descriptor identifier
:	subfunction : partial_replace (50 ₁₆)
:	group_tag : immediate (00 ₁₆)
:	replacement_data_length
:	address
:	original_data_length
:	replacement_data

FIG. 17

opcode	OPEN DESCRIPTOR
operand 0	descriptor_type = 10 ₁₆
operand 1	List ID : 00 ₁₆
operand 2	List ID : 01 ₁₆
operand 3	subfunction CLOSE 00 ₁₆
operand 4	reserved 00 ₁₆

FIG. 18



APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

16 / 26

FIG. 20

descriptor_length
generation_ID
size_of_list_ID
size_of_object_ID
size_of_object_position
number_of_root_object_lists(n)
root_object_list_id_0
:
root_object_list_id_n-1
subunit_dependent_information_length
subunit_dependent_information
non_info_block_fields_length
bulletin_board_subunit_version
number_of_supported_board_types(n)
supported_board_type_specific_info_length[0]
supported_board_type_specific_info[0]
supported_board_type
supported_board_type_version
implementation_profile_ID
supported_board_type_dependent_info_length
supported_board_type_dependent_info
:
supported_board_type_specific_info_length[n-1]
supported_board_type_specific_info[n-1]
supported_board_type
supported_board_type_version
implementation_profile_ID
supported_board_type_dependent_info_length
supported_board_type_dependent_info
optional blocks for future expansion
manufacturer_dependent_length
manufacturer_dependent_information

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

FIG. 21

Value	List definition
100116	Resource Schedule List
1002 - 10FF16	reserved

SECRET

FIG. 22





FIG. 23


Address offset	Contents
00 ₁₆	non_info_block_fields_length
01 ₁₆	
02 ₁₆	board_type
03 ₁₆	object_list_maximum_size
04 ₁₆	
05 ₁₆	object_entries_maximum_number
06 ₁₆	
07 ₁₆	object_entry_maximum_size
08 ₁₆	
09 ₁₆	board_type_dependent_information_length
0A ₁₆	
0B ₁₆	board_type_dependent_information
0C ₁₆	
0D ₁₆	
:	optional info blocks for future expansion
:	
:	

FIG. 24

Value	Board type
0016	Reserved
0116	Resource Schedule Board
0216 - FF16	Reserved for future specification

FIG. 25



APPROVED	O.G. FIG.	
	CLASS	SUBCLASS
DRAFTSMAN		

21 / 26

FIG. 26

Address_offset	Contents
00 ₁₆	non_info_block_length
01 ₁₆	
02 ₁₆	
03 ₁₆	start_time
04 ₁₆	
05 ₁₆	
06 ₁₆	
07 ₁₆	
08 ₁₆	
09 ₁₆	Duration
0A ₁₆	
0B ₁₆	
0C ₁₆	repeat_information_length
0D ₁₆	repeat_information
0E ₁₆	
:	
:	info blocks
:	
:	

FIG. 27

Address_offset	Contents
00 ₁₆	year (msb)
01 ₁₆	year (lsb)
02 ₁₆	month
03 ₁₆	day
04 ₁₆	hour
05 ₁₆	minute
06 ₁₆	second

FIG. 28

Address_offset	Contents
00 ₁₆	Reserved (4 bits) hours (msb)
01 ₁₆	hours (lsb)
02 ₁₆	minutes
03 ₁₆	seconds

FIG. 29

Values	definition
0016	Weekly schedule
0116 - 0F16	reserved
1016	Interval schedule
0F16 - FF16	reserved

FIG. 30

	msb							lsb
address_offset	contents							
0E16	repeat_type							
0F16	number_of_events							
1016	Sunday	Monday	Tues-day	Wed-nesday	Thurs-day	Friday	Satur-day	Re-served

FIG. 31

address_offset	contents
0E ₁₆	repeat_type
0F ₁₆	number_of_events
10 ₁₆	Reserved (4 bits) Interval: hours(msb)
11 ₁₆	Interval: hours(lsb)
12 ₁₆	Interval: minutes
13 ₁₆	Interval: seconds

FIG. 32

address_offset	contents
00 ₁₆	compound_length
01 ₁₆	
02 ₁₆	info_block_type
03 ₁₆	
04 ₁₆	primary_fields_length
05 ₁₆	
06 ₁₆	number_of_subunits
07 ₁₆	subunit_type_and_ID[0]
:	:

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

25 / 26

FIG. 33

Address_offset	Contents
00 ₁₆	supported_board_type
01 ₁₆	supported_board_type_version
02 ₁₆	implementation_profile_ID
03 ₁₆	supported_board_type_dependent_information_length_
04 ₁₆	
05 ₁₆	supported_board_type_dependent_information
:	
:	

FIG. 34

